


# The Kingfisher Bulletin

## Offshore News

RENEWABLE ENERGY

12 JULY 2018 | ISSUE 14

Shaded blocks indicate activity.



What's inside?

### **New Hazards** (p.3)

#### **Area 1** (p.4-6)

1. Notice to Fishermen
2. Seabed Activity
3. Survey Activity

#### **Area 2** (p.7-8)

1. Seabed Activity
2. Survey Activity

#### **Area 3** (p.9-14)

1. Notice to Fishermen
2. Seabed Activity
3. Survey Activity
4. Deployment of Buoys

#### **Area 4** (p.15)

1. Deployment of Buoys

#### **Area 5** (p.16-17)

1. Seabed Activity

#### **Area 6** (p.18)

1. Notice to Fishermen

#### **Extra...** (p.19)

1. Awareness Charts
2. Fishing Plotter Files

STAY UPTO DATE - ALWAYS ENSURE YOU HAVE THE LATEST KINGFISHER BULLETIN AND OFFSHORE FISHING PLOTTER DATA ON-BOARD.

## Support

The Kingfisher Bulletin is provided by the Kingfisher Information Service of Seafish, to promote the awareness of offshore hazards to fishing, new structures and zones and conflicting offshore operations. Support for the production of renewable industry information is received from The Crown Estate.



## Information

Information contained within the Kingfisher Bulletin comes from a variety of sources, although is in the majority, supplied directly to Kingfisher from the offshore operating industry, or government licensing authorities.

Coordinates within the Kingfisher Bulletin are converted into World Geodetic System 1984 (WGS84) and displayed as degrees, minutes and decimal minutes, to three decimal places (ddd°mm.mmm'). Route or boundary coordinates may be simplified for ease of use.

## Disclaimer and Limitation of Liability

Whilst reasonable steps have been taken to ensure its accuracy, the data contained in this Bulletin ("Bulletin Data") is not verified. Neither Seafish nor The Crown Estate (together the "Parties" and each a "Party") makes any warranty, express or implied, as to accuracy, completeness or suitability for any particular purpose of the Bulletin Data. Except for any liability which cannot be excluded or limited by applicable law, none of the Parties shall have any liability to You, meaning any person, firm, partnership, corporate body or any other legal person receiving or otherwise using, or benefitting from the use of, Bulletin Data for any damage or losses (including indirect, incidental, special or consequential loss or damage) caused by any: (i) use of the Bulletin Data, or (ii) error or omission in the Bulletin Data. Notwithstanding the foregoing exclusion of liability, in the event that any of the Parties are found liable to You, then the Parties' entire liability in such event, whether in contract, delict (including negligence) or otherwise, shall not exceed £1,000. The Admiralty Notices to Mariners should also be consulted.

## New Hazards

### Area 1 Hazard List

Hazard Type	Position	Issue Date	Contact Details	Map
Murchison Wellhead Protection Structure 7.5m x 7.5m x 7.5m Well 211/19-2	61°23.382'N 01°44.050'E	03 May 2018	<a href="mailto:Carolyn.Toshney@cnrl.com">Carolyn.Toshney@cnrl.com</a>	
Significant free-spans have been identified along the PL1043 Dunbar to Alwyn pipeline	60°38.646'N 01°39.193'E 60°38.713'N 01°39.207'E 60°39.017'N 01°39.267'E 60°39.033'N 01°39.271'E	31 May 2018	David Colliard, email: <a href="mailto:david.colliard@total.com">david.colliard@total.com</a>	
New suspended wellhead on seabed (211/23b-11)	61°16.210'N 001°25.962'E	15 May 2018	Fairfield Energy, Tel: +44 (0)1224 320708	
Removal of protective structure for wellhead 211/19-2 (8m x 8m x 7m)	61°23.382'N 01°44.050'E	3 May 2018	CNR International Ltd, Tel: +44 1224 303600	
One 8in pipeline and one 6in umbilical Exposed Laggan and Tormore fields	60° 29.319' N 1° 15.213' W 60° 29.304' N 1° 15.108' W 60° 28.993' N 1° 15.281' W 60° 29.007' N 1° 15.386' W	11 Jan 2018	TOTAL, Tel: +44 (0)1224 298172	

### Area 2 Hazard List

Hazard Type	Position	Issue Date	Contact Details	Map
Sunken buoy with heavy weight and anchor	57°00.668'N 000°05.671'W	31 May 2018	Raymond Hall, Tel: 01224 646944 email: <a href="mailto:R.Hall@sff.co.uk">R.Hall@sff.co.uk</a>	

### Area 3 Hazard List

Hazard Type	Position	Issue Date	Contact Details	Map
Anchor approx. 3.5m x 1.8m	50°41.147'N 000°17.657'W	28 June 2018	Gordon Bain (Eon Marine Coordination) +44(0)7787241442	
Significant Pipeline Span on PL21 from Hewett to Bacton (37m long and 1m high)	53°01.482'N 001°43.673'E	15 May 2018	ENI, Tel: 020 7344 6342	
Concrete mattresses installed on seabed to stabilise a pipeline span	53°06.662'N 001°44.180'E and 53°06.668'N 001°44.165'E	19 April 2018	ENI, Tel: 020 7344 6342	

## Beatrice Offshore Windfarm Ltd – Construction Operations

Beatrice Offshore Windfarm Limited (BOWL) is developing the Beatrice Offshore Wind Farm in the 'Outer' Moray Firth on the north-western point of the Smith Bank, approximately 7 nm off the Caithness coastline.



## Inter Array Cable Pre Lay Grapnel Run (PLGR) &amp; Inter Array Cable Installation

The Cable Laying Vessel (CLV) Siem Aimeri is currently in Hartlepool loading out with cable for Campaign 3. The vessel expected to return to site around 15th July to resume the installation of inter-array cables.

The Walk to Work (W2W) vessel Stril Server, together with the CTV Marieco Mariah are conducting cable commissioning works on foundations in preparation for the installation of Wind Turbine Generators (WTG).

Pile Installation completed at 86 locations. Foundation installation completed at 45 locations.

Location ID	Lat WGS84	Long WGS84	Location ID	Lat WGS84	Long WGS84
BE-A5	58° 12.471' N	002° 59.996' W	BE-G4	58° 13.142' N	002° 53.464' W
BE-B5	58° 12.687' N	002° 58.873' W	BE-G5	58° 13.762' N	002° 53.254' W
BE-B6	58° 13.308' N	002° 58.664' W	BE-G6	58° 14.384' N	002° 53.044' W
BE-B7	58° 13.929' N	002° 58.456' W	BE-G7 (OTM)	58° 15.004' N	002° 52.834' W
BE-C4	58° 12.307' N	002° 57.948' W	BE-G8	58° 15.625' N	002° 52.625' W
BE-C5	58° 12.902' N	002° 57.749' W	BE-G9	58° 16.247' N	002° 52.415' W
BE-C6	58° 13.524' N	002° 57.541' W	BE-G10	58° 16.867' N	002° 52.204' W
BE-C7	58° 14.144' N	002° 57.332' W	BE-G11	58° 17.488' N	002° 51.994' W
BE-C8	58° 14.766' N	002° 57.124' W	BE-G12	58° 18.109' N	002° 51.784' W
BE-C9	58° 15.386' N	002° 56.915' W	BE-G13	58° 18.730' N	002° 51.574' W
BE-D3	58° 11.995' N	002° 57.002' W	BE-G14	58° 19.351' N	002° 51.362' W
BE-D4	58° 12.497' N	002° 56.834' W	BE-H4	58° 13.356' N	002° 52.339' W
BE-D5	58° 13.117' N	002° 56.626' W	BE-H5	58° 13.977' N	002° 52.130' W
BE-D6	58° 13.739' N	002° 56.417' W	BE-H6	58° 14.598' N	002° 51.920' W
BE-D7	58° 14.359' N	002° 56.209' W	BE-H7	58° 15.219' N	002° 51.709' W
BE-D8	58° 14.981' N	002° 55.999' W	BE-H8	58° 15.840' N	002° 51.499' W
BE-D9	58° 15.602' N	002° 55.790' W	BE-H9	58° 16.461' N	002° 51.289' W
BE-D10	58° 16.223' N	002° 55.582' W	BE-H10	58° 17.082' N	002° 51.079' W
BE-D11	58° 16.844' N	002° 55.373' W	BE-H11	58° 17.703' N	002° 50.867' W
BE-E1	58° 10.900' N	002° 56.256' W	BE-H12	58° 18.324' N	002° 50.657' W
BE-E2	58° 11.470' N	002° 56.128' W	BE-H13	58° 18.944' N	002° 50.446' W
BE-E3	58° 12.090' N	002° 55.920' W	BE-J5	58° 14.192' N	002° 51.005' W
BE-E4	58° 12.712' N	002° 55.710' W	BE-J6	58° 14.812' N	002° 50.795' W
BE-E5	58° 13.333' N	002° 55.502' W	BE-J7	58° 15.433' N	002° 50.585' W
BE-E6	58° 13.954' N	002° 55.293' W	BE-J8	58° 16.055' N	002° 50.373' W
BE-E7	58° 14.575' N	002° 55.084' W	BE-J9	58° 16.675' N	002° 50.163' W
BE-E8	58° 15.196' N	002° 54.875' W	BE-J10	58° 17.296' N	002° 49.952' W
BE-E9	58° 15.817' N	002° 54.665' W	BE-J11	58° 17.917' N	002° 49.741' W
BE-E10	58° 16.438' N	002° 54.456' W	BE-J12	58° 18.538' N	002° 49.530' W
BE-E11	58° 17.059' N	002° 54.247' W	BE-J13	58° 19.159' N	002° 49.319' W
BE-E12	58° 17.680' N	002° 54.037' W	BE-K6	58° 15.027' N	002° 49.669' W
BE-F2	58° 11.685' N	002° 55.005' W	BE-K7	58° 15.648' N	002° 49.459' W
BE-F3	58° 12.306' N	002° 54.796' W	BE-K8	58° 16.269' N	002° 49.247' W
BE-F4	58° 12.927' N	002° 54.588' W	BE-K9	58° 16.890' N	002° 49.036' W
BE-F5	58° 13.548' N	002° 54.378' W	BE-K10	58° 17.510' N	002° 48.825' W
BE-F6	58° 14.168' N	002° 54.169' W	BE-K11	58° 18.131' N	002° 48.614' W
BE-F8 (OTM)	58° 15.411' N	002° 53.750' W	BE-K12	58° 18.752' N	002° 48.403' W
BE-F9	58° 16.031' N	002° 53.540' W	BE-L7	58° 15.862' N	002° 48.333' W
BE-F10	58° 16.653' N	002° 53.330' W	BE-L8	58° 16.482' N	002° 48.122' W
BE-F11	58° 17.274' N	002° 53.120' W	BE-L9	58° 17.104' N	002° 47.910' W
BE-F12	58° 17.894' N	002° 52.911' W	BE-L10	58° 17.724' N	002° 47.698' W
BE-F13	58° 18.516' N	002° 52.701' W	BE-M9	58° 17.317' N	002° 46.784' W
BE-G3	58° 12.544' N	002° 53.726' W	BE-M10	58° 17.938' N	002° 46.571' W

For further information: Beatrice Offshore Windfarm Limited, Tel: +44 (0) 330 202 0329, Mob: +44 (0) 7931 991577

## Bluemull Sound (Shetland) – Subsea Tidal Array

The purpose of the operation is to conduct work on a subsea tidal energy array in Bluemull Sound, Shetland.

A multicat vessel the Leask Marine MV C-Odyssey (pictured below, call sign 2ETW7) will conduct offshore and subsea operations. Works will include loading and preparatory work at Cullivoe Pier. The work will be conducted from June to August 2018; operations could take place during day or night. Operations will be conducted within a 300m radius of the array location and up to 30m either side of the cable corridor route; cable waypoints are listed below.



Array location: 60°41.908'N 00°59.016'W

## Cable Way Points:

1. 60°41.878'N 00°59.917'W	5. 60°41.818'N 00°59.400'W	9. 60°41.878'N 00°59.917'W
2. 60°41.813'N 00°59.862'W	6. 60°41.835'N 00°59.217'W	10. 60°41.813'N 00°59.862'W
3. 60°41.814'N 00°59.701'W	7. 60°41.869'N 00°59.101'W	
4. 60°41.815'N 00°59.437'W	8. 60°41.900'N 00°59.030'W	

For further information: Tom Wills, Nova Innovation, Tel: 0131 241 2000 / 07825 914 257 email: info@novainnovation.com

## Seabed Activity

First Published: 30 November 2017 | Latest Update: 29 May 2018

## Bluemull Sound (Shetland) – Subsea Tidal Array

The purpose of the operation is to conduct work on a subsea tidal energy array in Bluemull Sound, Shetland.

A multicat vessel the Leask Marine MV C-Odyssey (pictured below, call sign 2ETW7) will conduct offshore and subsea operations. Works will include loading and preparatory work at Cullivoe Pier. The work will be conducted from June to August 2018; operations could take place during day or night.



Operations will be conducted within a 300m radius of the array location and up to 30m either side of the cable corridor route; cable waypoints are listed below.

Array location: 60°41.908'N 00°59.016'W

## Cable Way Points:

1.	60°41.878'N 000°59.917'W	5.	60°41.818'N 000°59.400'W	9.	60°41.878'N 000°59.917'W
2.	60°41.813'N 000°59.862'W	6.	60°41.835'N 000°59.217'W	10.	60°41.813'N 000°59.862'W
3.	60°41.814'N 000°59.701'W	7.	60°41.869'N 000°59.101'W		
4.	60°41.815'N 000°59.437'W	8.	60°41.900'N 000°59.030'W		

For further information: Tom Wills, Nova Innovation, Tel: 0131 241 2000 / 07825 914 257 email: info@novainnovation.com

## Survey Activity

First Published: 28 June 2018 | Latest Update: 12 July 2018

## Inch Cape Offshore Wind Farm (Firths of Forth and Tay) – Geophysical &amp; Geotechnical Site Investigations

Please be advised that survey vessels will be working in the Moray East Wind Farm and export cable route site for approximately three and a half months (105 survey days, excluding weather downtime). Up to 4 vessels will be present at any one time.



Please be advised that Horizon Geosciences will be performing site investigation works on behalf of Inch Cape Offshore Limited. The works are being carried out in the Development Area and Offshore Export Cable Corridor of the proposed Inch Cape Offshore Wind Farm located within the Outer Firth of Tay.

The site investigation works consist of a geophysical survey and geotechnical boreholes. The works will be undertaken using the vessels listed below, up to three vessels will be present on site at any one time. Works will be undertaken over ~110 days, excluding weather downtime.

During the geotechnical works the vessel will hold station on DP and all vessels are also requested to remain 500 m clear. The vessel will be displaying the relevant RAM lights and displays during periods of restricted manoeuvrability.

Company, Vessel & Call Sign	Survey Area	Survey Area	Start Timeframe & Duration
Horizon GeoBay, 3ETG2			On or after 16 <sup>th</sup> July 2017 For up to 110 day (excluding weather downtime) End October 2018
Horizon Kommandor Iona, GAAK			
GEOxyz			
Geo Ocean II, LXHX	56°25.401'N 002°17.290'W	55°58.465'N 003°00.690'W	
Geo Ocean III, LXGP	56°35.721'N 002°17.096'W	56°30.479'N 002°15.269'W	
Geosurveyor IV, 2DEW4	56°35.624'N 002°02.594'W	56°25.095'N 002°03.133'W	
Geosurveyor VI, 2GRS3	56°25.305'N 002°02.854'W	55°53.154'N 002°48.616'W	
Geosurveyor VIII, 2FUH9			

For further information: Horizon Geosciences, Tel: +44 (0)117 329 1080, [enquiries@horizon-geosciences.com](mailto:enquiries@horizon-geosciences.com) Or Inch Cape Offshore Limited, Tel: +44 (0) 131 557 7101, Email: [inchcapewind@redrockpower.co.uk](mailto:inchcapewind@redrockpower.co.uk)

## Survey Activity

First Published: 12 July 2018 | Latest Update: 12 July 2018

## Inch Cape Offshore Wind Farm – Met Mast Maintenance

Please be advised that Wood Group, on behalf of Inch Cape Offshore Limited, will be undertaking maintenance works on the Inch Cape Offshore Met Mast, commencing between 24th July and 3rd August. The work is expected to last 1 to 2 days, weather dependent.

During these works the MTSL Avocet will operate from port to the works location (56° 26.404 N; 2° 14.489 W). The vessel will remain on site during the works and will then return to port.



Company, Vessel & Call Sign	Survey Area	Survey Area	Start Timeframe & Duration
Minerva MTSL Avocet Avocet	56°26.404'N 002°14.489'W		Start between 24th July 2018 and 3rd August 2018 1 to 2 days

For further information: Nigel McCoy, Inch Cape Offshore Limited Tel: +44 (0) 131 557 7105 email: [nigel.mccoy@RedRockPower.co.uk](mailto:nigel.mccoy@RedRockPower.co.uk)

## Survey Activity

First Published: 08 March 2018 | Latest Update: 12 July 2018

## Moray Wind Farm (East) – Geophysical &amp; Geotechnical Site Investigations

Please be advised that survey vessels will be working in the Moray East Wind Farm and export cable route site for approximately three and a half months (150 survey days, excluding weather downtime). Up to 4 vessels may be mobilised for this survey.

The Kommandor Stuart commenced UXO surveys, involving 24 hours on 29 May 2018. Up to five port calls of 1-2 days duration are anticipated. Equipment will be towed from the stern at up to 350 metres in length from the stern of the vessel down to a depth of 1.5 metres above the seabed. Other equipment will be hull mounted. Following completion of the geotechnical surveys the Ocean Vantage left the site on 20 June 2018.



A Fisheries Liaison Officer will be on board each of the vessels; please see below for FLO contact details.

Company, Vessel & Call Sign	Survey Area	Survey Area	Start Timeframe & Duration
Bibby HydroMap Kommandor Stuart MPQH3	58°19.849'N 002°50.458'W 58°19.301'N 002°30.461'W	58°02.409'N 002°34.944'W 58°02.946'N 002°54.796'W	21 <sup>st</sup> March 2018 For 150 Days


For further information: John Yorston, Moray Offshore Windfarm (East) Ltd, Tel: +44(0)131 556 7602 email: [john.yorston@edpr.com](mailto:john.yorston@edpr.com)

FLO Contact Details: Kommandor Stuart: Ian Scott, Tel: +447534 122239, email: [ianscott2001@hotmail.com](mailto:ianscott2001@hotmail.com)

**Notice to Fishermen**First Published: 22 February 2018 | **Latest Update: 22 February 2018****Aberdeen OWF – Lost Clump Weight****Please be advised of the following Lost Clump Weight from South Cardinal Buoy.**

Position: 57°12.266'N 02°00.149'W

In order to be able to redeploy the south cardinal buoy as soon as possible, and due to current vessel availability, the lost clump weight is proposed to be left in situ, while the cardinal buoy with the new clump weight is redeployed. However, it should be noted that all five clump weights used for construction buoyage will be removed following final commissioning of the construction marking for the Wind Farm.

For further information: Esther Villoria, Vattenfall, Tel: 44 77817018575 email: [esthervilloria.domibguez@vattenfall.com](mailto:esthervilloria.domibguez@vattenfall.com)**Survey Activity**First Published: 12 July 2018 | **Latest Update: 12 July 2018****Seagreen Alpha and Bravo Wind Warms - Survey****Mariners are advised that a detailed Geophysical Survey is planned within the boundary of the Seagreen Alpha and Seagreen Bravo offshore wind farms in the Firth of Forth Offshore Wind Round 3 Zone off the east coast of Scotland.**

Company, Vessel & Call Sign	Survey Area	Survey Area	Start Timeframe & Duration
Gardline Ocean Vantage	1. 56°40.900'N 001°56.6361'W	3. 56°31.732'N 001°28.7025'W	24/07/18 For 82 Days
	2. 56°30.529'N 001°56.7745'W	4. 56°40.817'N 001°34.7606'W	

For further information: Nick Brockie, SSE, Tel: +44 0141 2247152 email@ [nick.brockie@sse.com](mailto:nick.brockie@sse.com)**Survey Activity**First Published: 03 May 2018 | **Latest Update: 10 July 2018****Seagreen Alpha and Bravo Wind Warms - Survey****Mariners are advised that a detailed Geophysical Survey is planned within the boundary of the Seagreen Alpha and Seagreen Bravo offshore wind farms in the Firth of Forth Offshore Wind Round 3 Zone off the east coast of Scotland.**

Company, Vessel & Call Sign	Survey Area	Survey Area	Start Timeframe & Duration
MMT MV Franklin	1. 56°40.900'N 001°56.6361'W	3. 56°31.732'N 001°28.7025'W	Early June 2018 For 65 Days
	2. 56°30.529'N 001°56.7745'W	4. 56°40.817'N 001°34.7606'W	

For further information: Martin Godfrey (MMT Project Manager) Tel: +44 1295 817748 email: [martin.godfrey@mmt.se](mailto:martin.godfrey@mmt.se)**Survey Activity**First Published: 14 June 2018 | **Latest Update: 09 July 2018****Kincardine Offshore Wind Farm – Mooring Installation Turbine****Please be advised that installation of the moorings for the first turbine will soon be taking place within the consented Project Site for the Kincardine Offshore Windfarm at location 1**It is anticipated that the installation will take place between 15<sup>th</sup> July 2018 & 22<sup>nd</sup> July 2018


Four moorings will be installed for Turbine 1, the target mooring locations are as below:

Coordinates
57°00.420'N 001°52.694'W
57°00.424'N 001°53.126'W
57°00.172'N 001°53.152'W
57°00.168'N 001°52.682'W

For further information: Dr Richard Wakefield, Tel: +44(0)141 810 9870 email: [rwf@niras.com](mailto:rwf@niras.com)

## Neart na Gaoithe Offshore Wind Farm (Firths of Forth and Tay) – Unexploded Ordnance and Geotechnical Surveys

Please be advised that survey vessels will be working within the boundaries of the Neart na Gaoithe Offshore Wind Farm Site for approximately 143 days.



An unexploded ordnance survey will last approximately 21 days. Up to two vessels will be present on site at any one time. During the survey, equipment will be towed approximately 135 - 155 metres behind the stern of the vessel down to a depth of no more than 5 metres above the seabed.

A geotechnical survey comprised of cone penetration tests and boreholes will last approximately 130 days. Up to four vessels will be present on site at any one time. During the survey, the vessel will hold on station and display the relevant RAM markings during periods of restricted manoeuvrability.

A Fisheries Liaison Officer will be present offshore at all times.

Company, Vessel & Call Sign	Survey Area	Survey Area	Start Timeframe & Duration
Vessels to be confirmed	56°15.271'N 002°09.898'W	56°15.827'N 002°20.055'W	UXO survey (~21 days) Start ~ 21 July 2018; End ~ 10 August 2018.
	56°12.721'N 002°09.255'W	56°17.430'N 002°20.232'W	
	56°12.752'N 002°13.998'W	56°19.752'N 002°17.826'W	Geotechnical survey (~130 days) Start ~ 3 August 2018; End ~ 10 December 2018.
	56°12.766'N 002°16.293'W	56°20.312'N 002°16.518'W	
	56°15.479'N 002°19.628'W	56°20.171'N 002°14.910'W	

For further information: Neart na Gaoithe Offshore Wind Limited (Rosie Scurr on +44 (0) 7967445717 or at [Rosie.Scurr@edf-re.uk](mailto:Rosie.Scurr@edf-re.uk))

**Notice to Fishermen**

First Published: 28 June 2018 | **Latest Update: 28 June 2018**

**Fishing Hazard – Rampion OWF Anchor**

 [Map Link](#)

Please note that an anchor approx. 3.5m x 1.8m is lying close to WTG F05 at the Rampion OWF position below:

50°41.147'N 000°17.657'W



For further information: Gordon Bain (Eon Marine Coordination) +44(0)7787241442 email [leadmc@rampionoffshore.com](mailto:leadmc@rampionoffshore.com)

**Notice to Fishermen**

First Published: 31 May 2018 | **Latest Update: 31 May 2018**

**Hazard to Fishermen – Dropped Buoy Chain on the East Anglia One project**

Please be advised that a dropped Please see attached a marine licence dropped incident report for a dropped buoy chain on the EA ONE project. several individual lengths of anchor chain is used to form one anchor weight of around 800kg, all lost.

Anchor chain 1.5 m x 2 m x 1 m, Ballast chain 6 m x 0.42 m x 0.20 m (Cage attached alongside), Cage: 0.4 m x 0.2 m x 0.3 m  
Riser chain 10 m x 0.1 m x 0.03 m

52°19.333'N 02°32.493'E



For further information: Dominic North Scottish Power, East Anglia One, Tel: +44 1416143847 email: [dnorth@scottishpower.com](mailto:dnorth@scottishpower.com)

**Notice to Fishermen**

First Published: 31 May 2018 | **Latest Update: 29 June 2018**

**Hornsea Offshore Wind Farms – Unexploded Ordnance (UXO) Complete**

Please be advised Hornsea Project One (UXO detonation - Complete). The two temporary exclusion zones associated with the two UXO has now been lifted.

Locations: 53°53.056'N 001°39.548'E 53°55.313'N 002°08.098'E



For further information: Nick Garside, Tel: +44(0)7538 827013 email: [nick.garside@live.co.uk](mailto:nick.garside@live.co.uk)

**Notice to Fishermen**

First Published: 14 November 2017 | **Latest Update: 14 November 2017**

**Fishing Hazard – Cable Spans Along Greater Gabbard WF Export Cable**

 [Map Link](#)

Recent results from the export cable surveys at Greater Gabbard show that there are 8 free-spans

Whilst the results continue to be processed, Balfour Beatty have asked that in the interest of safety and the integrity of the cable, extreme caution be used when Fishing near the export cables and that Fishermen refrain from using towed gear across the export cables wherever possible.

Cable	Position (from)	Position (to)	Span Length(m)	Span height(cm)
L1	52°12.284N 001°39.364E	52°12.283N 001°39.369E	6	0
L1	52°12.271N 001°39.434E	52°12.270N 001°39.441E	8	13
L1	52°12.064N 001°40.559E	52°12.061N 001°40.565E	8	20
L2	52°12.128N 001°40.524E	52°12.124N 001°40.535E	15	5
L2	52°12.119N 001°40.560E	52°12.118N 001°40.567E	8	76
L3	52°12.169N 001°40.502E	52°12.169N 001°40.504E	3	11
L3	52°12.148N 001°40.594E	52°12.146N 001°40.604E	13	34
L3	51°59.194N 001°57.431E	51°59.187N 001°57.442E	17	10



For further information: Merlin Jackson email: [merlinjackson@btinternet.com](mailto:merlinjackson@btinternet.com) Tel: 07989520484

**Notice to Fishermen**First Published: 08 March 2017 | **Latest Update: 26 April 2017****Race Bank Offshore Wind Farm – Exposed Export Cable Sections** [Map Link](#)

Sections of the Race Bank Wind Farm export cable have been found to be exposed, or only shallowly buried. These pose a snagging risk to fishermen and caution should be exercised. Remedial burial works are ongoing to achieve full burial at these locations.



As the previously agreed 'Fishing Clearance Zones' have now been deactivated as of 00:01 on 1st March 2018, Orsted are working with fishermen on an agreement to remain clear of these locations whilst work continues.

The Foryd Bay 2FGW6, is currently providing support services within the Race Bank wind farm array area. The Foryd Bay, or an alternative survey vessel, is due to conduct additional environmental survey work along the Race Bank export cable routes within the coming weeks. **The Twitter Link' chart link shows these exposed sections, which are also pasted below:**

Section	Centre Position
KP 11: Length 895m x Width 100m	52°54.281'N 000°16.413'E
<b>KP 23: Length 200m</b>	<b>52°59.730'N 000°22.580'E to 52°59.770'N 000°22.740'E</b>
KP 25: Length 525m x Width 100m	53°00.266'N 000°24.230'E
KP 27: Length 365m x Width 100m - 170m	53°01.044'N 000°25.029'E
KP 28: Length 1002m x Width 100m	53°01.499'N 000°25.595'E
KP 35: Length 3230m x Width 100-220m	53°04.766'N 000°29.252'E
North of KP 62: Length 235m x Width 100m	53°15.159'N 000°43.036'E
KP 65: Length 435m x Width 100m	53°16.363'N 000°44.391'E
KP 70.925: Length 170m x Width 100m	53°17.736'N 000°48.500'E

In the interests of the safety of mariners, and in order to avoid damaging the export cables, the Race Bank project is duty-bound to highlight the significant risks that would be associated with fishing activity within the 'Cable Exposure Zones'. In line with standard industry practice, fishermen are advised to temporarily refrain from fishing within the 'Cable Exposure Zones' (inc. pot fishing and/or trawling) while remedial burial works remain ongoing. Any static gear anchors, or towed fishing equipment, deployed within these areas presents a significant risk to gear, to vessels, to crews, and to the export cables.

*For further information: Hywel Roberts, DONG Energy, Tel: +44(0)20 7811 5486 email: [hywro@dongenergy.co.uk](mailto:hywro@dongenergy.co.uk)*

**Notice to Fishermen**First Published: 02 November 2017 | **Latest Update: 02 November 2017****Fishing Hazard – Gunfleet Sands WF Export Cable (Exposure Update)** [Map Link](#)

Recent surveys at Gunfleet Sands offshore wind farm have illustrated that some array/in-field cables are lying exposed on the seabed and are no longer buried and there is one freespan.



These are the following cables located in the eastern part of Gunfleet Sands 1 and the north eastern part of Gunfleet Sands 2.

Location	Start of Exposure	End of Exposure
Cable between turbines C06-D06	51°44.590'N 001°14.923'E	51°44.383'N 001°15.101'E
Cable between turbines F09-F08	51°44.736'N 001°17.428'E	51°44.480'N 001°16.772'E
Cable between turbines F08-F07	51°44.481'N 001°16.772'E	51°44.225'N 001°16.115'E
Cable between turbines F07-F06	51°44.225'N 001°16.115'E	51°43.969'N 001°15.459'E
Cable between turbines G08-G07	51°44.274'N 001°16.950'E	51°44.018'N 001°16.294'E

*For further information: Merlin Jackson email: [merlinjackson@btinternet.com](mailto:merlinjackson@btinternet.com) Tel: 07989520484*

Hornsea Offshore Wind Farms – Export Cable Open Trenches & Surveys



**Open Trenches and Exposed Cables**

HOW01 wish to inform mobile gear fishermen that trenching works and cable laying is ongoing within the HOW01 export cable corridor as illustrated in the **Map Link** (top right). Coordinates of these areas are displayed below. There is exposed cable, as well as cut trenches which pose a snagging risk to fishermen, caution should be exercised. Any static gear anchors, or towed fishing equipment, deployed within these areas presents a significant risk to gear, to vessels, to crews, and to the export cables. The trenches range in depth to circa 2m, further information can be obtained via Nick Garside the Project's Fishing Industry Representative (nick.garside@live.co.uk).



**Open Trench areas:**

Area 1 Coordinates	Area 2 Coordinates
53° 37.987'N 0° 56.533'E	53° 52.191' N 2° 5.106' E
53° 37.472'N 0° 56.753'E	53° 52.485' N 2° 5.160' E
53° 42.915'N 1° 14.662'E	53° 52.756' N 2° 5.756' E
53° 42.326'N 1° 14.847'E	53° 52.089' N 2° 5.764' E
53° 42.946'N 1° 15.972'E	53° 52.410' N 2° 6.283' E
53° 42.358'N 1° 16.279'E	
53° 38.775'N 1° 2.268'E	
53° 38.133'N 1° 2.519'E	
53° 44.583'N 1° 23.354'E	
53° 44.048'N 1° 23.732'E	
53° 44.772' N 1° 24.602' E	
53° 44.263' N 1° 24.873' E	
53° 45.978' N 1° 34.125' E	
53° 45.466' N 1° 34.587' E	
53° 47.134' N 1° 42.000' E	
53° 46.624' N 1° 42.295' E	
53° 47.967' N 1° 46.047' E	
53° 47.390' N 1° 46.068' E	
53° 48.538' N 1° 51.557' E	
53° 48.003' N 1° 51.668' E	
53° 49.947' N 1° 59.989' E	
53° 49.428' N 2° 0.180' E	

**Cable Laid (exposed) areas:**

Area 1 Coordinates	Area 2 Coordinates	Area 3 Coordinates	Area 4 Coordinates
53° 30.312' N 0° 32.436' E	53° 30.549' N 0° 30.317' E	53° 53.670' N 1° 42.618' E	53° 44.839' N 1° 24.436' E
53° 31.970' N 0° 39.014' E	53° 30.044' N 0° 30.556' E	53° 53.182' N 1° 42.819' E	53° 44.381' N 1° 24.841' E
53° 31.798' N 0° 40.098' E	53° 30.014' N 0° 4.025' E	53° 53.638' N 1° 44.440' E	53° 45.107' N 1° 26.415' E
53° 36.111' N 0° 43.504' E	53° 29.875' N 0° 4.813' E	53° 53.030' N 1° 44.518' E	53° 44.577' N 1° 26.489' E
53° 35.664' N 0° 44.013' E	53° 31.396' N 0° 5.799' E	53° 52.982' N 1° 48.785' E	53° 47.172' N 1° 41.782' E
53° 37.493' N 0° 49.920' E	53° 30.927' N 0° 6.249' E	53° 52.442' N 1° 48.786' E	53° 46.666' N 1° 42.099' E
53° 36.955' N 0° 49.968' E	53° 31.440' N 0° 6.549' E	53° 52.833' N 1° 50.921' E	53° 47.944' N 1° 43.433' E
53° 37.352' N 0° 51.812' E	53° 31.128' N 0° 6.735' E	53° 53.375' N 1° 50.922' E	53° 47.591' N 1° 44.126' E
53° 36.819' N 0° 51.951' E	53° 29.736' N 0° 28.734' E	53° 52.961' N 1° 53.946' E	53° 50.284' N 1° 47.307' E
53° 37.925' N 0° 56.108' E	53° 30.204' N 0° 28.546' E	53° 52.620' N 1° 58.794' E	53° 51.156' N 1° 47.925' E
53° 37.401' N 0° 56.295' E		53° 52.088' N 1° 58.953' E	53° 50.054' N 1° 48.132' E
		53° 53.147' N 2° 1.029' E	53° 50.698' N 1° 48.464' E
		53° 52.625' N 2° 1.257' E	53° 51.548' N 1° 50.956' E
		53° 52.686' N 2° 3.670' E	53° 51.061' N 1° 51.350' E
		53° 53.236' N 2° 3.693' E	53° 52.567' N 1° 53.016' E
		53° 52.359' N 2° 6.081' E	53° 52.409' N 1° 53.961' E
		53° 52.828' N 2° 6.488' E	

**Expected Cable Lay:**

**Cable Buried Area:**

**Expected Opened Trenches:**

Area 1 Coordinates	Area 1 Coordinates	Area 1 Coordinates
53° 30.162' N 0° 4.060' E	53° 32.131' N 0° 12.218' E	53° 30.759' N 0° 31.725' E
53° 29.845' N 0° 4.761' E	53° 31.595' N 0° 12.114' E	53° 30.245' N 0° 32.436' E
53° 31.355' N 0° 5.966' E	53° 30.950' N 0° 6.406' E	53° 32.033' N 0° 38.976' E
53° 30.865' N 0° 6.342' E	53° 31.462' N 0° 6.133' E	53° 31.391' N 0° 39.362' E
53° 32.091' N 0° 11.988' E	53° 31.449' N 0° 14.681' E	53° 36.197' N 0° 43.513' E
53° 31.545' N 0° 12.149' E	53° 30.976' N 0° 14.244' E	53° 35.598' N 0° 44.058' E
53° 30.924' N 0° 14.187' E	53° 30.211' N 0° 17.304' E	53° 37.548' N 0° 49.838' E
53° 31.402' N 0° 14.605' E	53° 29.785' N 0° 16.770' E	53° 36.904' N 0° 49.991' E
53° 28.508' N 0° 20.254' E	53° 28.576' N 0° 20.037' E	53° 37.410' N 0° 51.837' E
53° 29.046' N 0° 20.338' E	53° 29.115' N 0° 20.084' E	53° 36.765' N 0° 51.925' E
53° 29.826' N 0° 25.071' E	53° 30.581' N 0° 30.488' E	53° 37.789' N 0° 53.570' E
53° 29.287' N 0° 25.142' E	53° 30.070' N 0° 30.730' E	53° 37.148' N 0° 53.775' E
53° 30.666' N 0° 31.378' E	53° 30.119' N 0° 4.027' E	53° 38.020' N 0° 55.915' E
53° 30.153' N 0° 31.639' E	53° 29.828' N 0° 4.698' E	53° 37.322' N 0° 56.056' E
		53° 37.907' N 0° 56.815' E
		53° 37.548' N 0° 56.981' E

**Surveys**

Hornsea Project Two wind farm is continuing survey works, within the below charted areas - this may continue until September 2018. The following survey vessel will be used: R/V Mintis, Fugro Pioneer, Fugro Seeker and the Fugro Gauss.

<https://twitter.com/Kingfisherinfo/status/997059331530088449>

For further information: Nick Garside, Tel: +44(0)7538 827013 email: [nick.garside@live.co.uk](mailto:nick.garside@live.co.uk)

## Seabed Activity

First Published: 14 June 2018 | Latest Update: 14 June 2018

## Hornsea Offshore Wind Farm – Boulder Removal

Hornsea Project One Offshore Wind Farm is located within the UK Sector of the North Sea off the coast of East Yorkshire.

Mariners are advised that boulder clearance activity will commence along array cable routes at Hornsea Project One from 16th June 2018. The activities and vessels associated with boulder clearance array cables are provided below.



Target ID	Coordinates	Target ID	Coordinates
1	53°58.703'N 001°44.531'E	13	53°57.208'N 002°04.540'E
2	53°55.774'N 001°47.797'E	14	53°57.408'N 002°06.112'E
3	53°56.381'N 001°51.957'E	15	53°50.167'N 002°13.953'E
4	53°55.522'N 001°52.905'E	16	53°49.238'N 002°11.614'E
5	53°55.627'N 001°53.635'E	17	53°49.976'N 001°59.913'E
6	53°55.389'N 001°55.338'E	18	53°49.982'N 001°58.997'E
7	53°55.136'N 001°56.177'E	19	53°50.085'N 001°38.974'E
8	53°55.590'N 001°59.349'E	20	53°55.155'N 001°39.867'E
9	53°55.042'N 001°59.763'E	21	53°56.054'N 001°41.002'E
10	53°55.378'N 002°02.237'E	22	53°56.494'N 001°43.760'E
11	53°56.272'N 002°01.254'E	23	53°58.297'N 001°41.780'E
12	53°56.776'N 002°05.067'E	24	53°58.703'N 001°44.531'E

For further information: Nick Garside, Tel: +44(0)7538 827013 email: [nick.garside@live.co.uk](mailto:nick.garside@live.co.uk)

## Seabed Activity

First Published: 31 May 2018 | Latest Update: 13 June 2018

## Thanet Wind Farm – Maintenance

Vattenfall is currently developing a proposal for an extension to the existing and operational Thanet Offshore Wind Farm which is located approximately 12km from the shore at Margate in Kent. The extension would involve the addition of up to 34 turbines on the edges of the existing wind farm, with the nearest located around 8km from the coastline.



All Mariners are to be advised that the remaining Metocean Monitoring Equipment on A2b location (north of the existing Thanet Offshore Wind Farm) will be recovered 15<sup>th</sup> June 2018

Location	Equipment	Location	Depth
A2b	500 kg chain clump weight and mooring line	51°27.950'N 001°38.782'E	-22
	200 kg chain clump weight	51°28.034'N 001°38.894'E	-22

For further information: Jennifer Munns Tel: +44(0)1843 572136 email: [Jennifer.munns@vattenfall.com](mailto:Jennifer.munns@vattenfall.com)

## Seabed Activity

First Published: 03 May 2018 | Latest Update: 03 May 2018

## Gunfleet Sands Offshore Wind Farm – Array Cable Burial

Recent surveys at Gunfleet Sands offshore wind farm have illustrated that some array/in-field cables are lying exposed on the seabed and are no longer buried and there is one freespan.



These are the following cables located in the eastern part of Gunfleet Sands 1 and the north eastern part of Gunfleet Sands 2

Location	Start of Exposure	End of Exposure
Cable between turbines C06-D06	51°44.590'N 01°14.923'E	51°44.383'N 01°15.101'E
Cable between turbines F09-F08	51°44.736'N 01°17.428'E	51°44.481'N 01°16.772'E
Cable between turbines F08-F07	51°44.481'N 01°16.772'E	51°44.225'N 01°16.115'E
Cable between turbines F07-F06	51°44.225'N 01°16.115'E	51°43.969'N 01°15.459'E
Cable between turbines G08-G07	51°44.274'N 01°16.950'E	51°44.018'N 01°16.294'E

Mariners are advised to be aware of these areas which may represent a hazard to fishing.

For further information: Merlin Jackson, Tel: 07989520484 email: [merlinjackson@btinternet.com](mailto:merlinjackson@btinternet.com) or Anthony Mayhew / Steve Breeden, Dong Tel: +44(0)1206 307915 email: [gfscoordinators@dongenergy.co.uk](mailto:gfscoordinators@dongenergy.co.uk)

### East Anglia One Wind Farm – HDD Works

East Anglia ONE Offshore Windfarm will commence HDD works in the vicinity of Bawdsey beach.

The works will consist of the excavation of four pits 45m x 15m x 2.4m and there will be up to 2.5m depth of spoil temporarily deposited on the seabed reducing the navigable water depth in proximity to the following locations.



Point	Coordinates
001	51°59.966'N 001°25.659'E
002	51°59.256'N 001°26.975'E
003	51°59.117'N 001°26.777'E
004	51°59.826'N 001°25.462'E

The area is approximately 1.3 nautical miles to the east north east of the entrance of the River Deben.

The works will be undertaken by the Capall Mara and commence 25th June 2018 the vessel will leave circa July 2018 with spoil being present for approximately two to three months.

Proposed Wave Buoy position: 51°59.180'N 001°26.889'E

- Refrain from deploying any fishing gear in the vicinity to reduce the danger of entanglement and equipment loss;
- Under no circumstances moor to any part of the deployed mooring or buoy.

For further information: Graham Farrant, Tel: 0141614290 or 7834 603291 email: [gfarrant@scottishpower.com](mailto:gfarrant@scottishpower.com)

### East Anglia One Wind Farm – Construction and UXO Disposal

Please be advised that construction activities and UXO disposal are continuing at the East Anglia One Wind Farm.



**Construction**

- The Glomar Drifa will continue Guard vessel duties
- Heavy Lift vessel Bokalift 1 will continue pile and jacket installation on East Anglia One Wind Farm.
- Olympic Taurus will continue pile cleaning on various locations.
- MTS Terramare to continue UXO diving investigations on various locations on the export cable route.
- Tender 2 will support the MTS Terramare with near shore operations.
- Olympic Artemis to continue with UXO investigation and EOD disposal.
- GPS Battler to continue supporting the MTS Terramare with anchor handling operations.
- Red Squirrel jack up barge to commence works near shore
- Tasker 2 to join project and commence works near shore.
- Megan M to join project and commence works near shore as a Guard vessel.
- Forth Sentinel to join project to work with the Red Squirrel, near shore.
- Asharaf to join project and commence works near shore.
- Noortruck will continue to conduct bubble curtain operations to assist with the UXO EOD operations.
- The Patriot will mobilise on the project to conduct passive acoustic monitoring during UXO EOD operations.

Please be advised that confirmed unexploded ordnance has been identified at the following as found coordinates:

Location	Location	Location	Location
52°18.351'N 002°32.430'E	52°11.547'N 002°12.908'E	52°18.770'N 002°33.920'E	52°15.887'N 002°31.882'E
52°18.381'N 002°30.384'E	52°10.912'N 002°06.912'E	51°59.788'N 001°25.955'E	52°17.031'N 002°30.999'E
52°18.308'N 002°30.456'E	52°16.028'N 002°27.845'E	52°11.100'N 002°28.618'E	52°17.472'N 002°30.824'E
52°18.239'N 002°30.460'E	52°18.352'N 002°30.331'E	51°59.647'N 001°26.064'E	52°11.572'N 002°28.315'E
52°17.178'N 002°32.917'E	52°15.688'N 002°28.028'E	51°59.449'N 001°26.219'E	52°13.243'N 002°27.347'E
52°16.547'N 002°33.295'E	52°15.498'N 002°28.164'E	52°11.367'N 002°12.567'E	52°16.523'N 002°33.431'E
52°18.610'N 002°34.039'E	52°15.667'N 002°31.968'E	52°13.786'N 002°27.185'E	52°02.435'N 001°35.322'E
52°18.788'N 002°33.930'E	52°17.442'N 002°30.806'E	52°11.798'N 002°26.246'E	52°01.772'N 001°34.237'E
52°03.700'N 001°38.848'E	52°12.880'N 002°31.513'E	52°11.356'N 002°09.539'E	52°00.739'N 001°32.701'E
52°03.800'N 001°39.233'E	51°59.545'N 001°30.163'E	52°03.474'N 001°37.078'E	52°13.111'N 002°27.512'E
52°08.007'N 001°23.001'E	52°08.007'N 001°23.001'E	52°08.007'N 001°23.001'E	52°08.007'N 001°23.001'E
52°11.255'N 002°28.446'E	52°13.046'N 002°27.512'E	52°13.046'N 002°27.502'E	52°11.338'N 002°10.735'E
52°10.927'N 002°06.960'E	52°11.953'N 002°20.511'E	52°03.906'N 001°39.456'E	52°16.421'N 002°27.587'E
52°03.486'N 001°37.402'E	52°16.767'N 002°27.440'E	52°09.621'N 002°27.445'E	52°02.751'N 001°35.663'E
52°00.783'N 001°35.744'E	52°12.563'N 002°27.176'E	52°11.537'N 002°12.911'E	52°07.378'N 001°50.424'E
51°59.773'N 001°26.651'E	52°11.231'N 002°12.906'E	52°11.437'N 002°28.288'E	

For further information: Graham Farrant, Tel: 0141614290 or 7834 603291 email: [gfarrant@scottishpower.com](mailto:gfarrant@scottishpower.com)

**Survey Activity**

First Published: 28 June 2018 | Latest Update: 28 June 2018

**Greater Gabbard Offshore Windfarm - Survey**

The MV Confidante will arrive on the Greater Gabbard Wind Farm on the 7th July 2018 to complete bathymetric and side scan sonar surveys of the seabed of a 1000m x 1000m area at Wind Turbine Generators GAE02, IGB04, IGD12, IGI03, IGI08 and IGJ04. The vessel will be working, subject to weather, until the 20th July 2018 and will require a 500m exclusion zone due to works.



Company, Vessel & Call Sign	Survey Area	Survey Area	Start Timeframe & Duration
SSE MV Confidante ZQZ15	GAE02 - 51°47.640'N 01°59.867'E IGB04 - 51°55.872'N 01°52.432'E IGD12 - 51°52.578'N 01°52.018'E	IGI03 - 51°56.274'N 01°59.015'E IGI08 - 51°53.616'N 01°57.371'E IGJ04 - 51°54.888'N 01°58.919'E	7 <sup>th</sup> July 2018 – 20 <sup>th</sup> July 2018

For further information: Danielle Clifflen, SSE, [Danielle.Clifflen@sse.com](mailto:Danielle.Clifflen@sse.com)

**Survey Activity**

First Published: 28 June 2018 | Latest Update: 06 July 2018

**Triton Knoll Offshore Windfarm - Survey**

Triton Knoll Offshore Wind Farm Limited has contracted Fugro to carry out a geophysical site investigation in the landfall region at Anderby Creek for the proposed Triton Knoll Offshore Wind Farm (TKOWF) site.



Company, Vessel & Call Sign	Survey Area	Survey Area	Start Timeframe & Duration
Fugro CRC Courageous 2GWP4 CRC Hercules 2FO15	53°16.651'N 000°19.148'E 53°16.963'N 000°22.682'E 53°17.546'N 000°23.728'E	53°16.646'N 000°25.155'E 53°15.789'N 000°23.554'E 53°15.496'N 000°19.620'E	28 <sup>th</sup> June 2018 For 5 Weeks

For further information: Sally Dalrymple – Project Manager Tel: +44 (0) 1491 820 657, +44 (0) 7917 058 751 (mob), Email: [s.dalrymple@fugro.com](mailto:s.dalrymple@fugro.com)

**Seabed Activity**

First Published: 03 December 2015 | Latest Update: 12 July 2018

**Rampion Wind Farm – Installation and Operation**

[Map Link](#)

**Installation of structures**

Rampion will be installing corrosion coupons at the following locations C08, K04, I15, O07, G03 located approximately 2-3m from monopole structure to be landed close to the TP access ladder (within radius of davit crane).



These units are planned to remain on seabed for 7 years. Operations are planned to start week commencing 21.05.2018. Units will be installed using the davit on each of these locations

**Export Cable**

Operations to excavate a cable trench from KP 0.32 to KP 2 (Layout drawing and CR4 coordinates below) on the CR4 inshore export cable route is planned to commence on the 29/06/2018. Operations are due to last 5 weeks weather permitting.

Vessels will be mobilising in the port of Shoreham.

The Backhoe Dredgers Capall Mara MBSF3 and platform C59 Emotion will carry out the excavating:

50°49.034'N 00°20.175'W	50°45.179'N 00°19.222'W	50°42.958'N 00°18.205'W
50°48.817'N 00°20.067'W	50°45.073'N 00°19.196'W	50°42.787'N 00°17.929'W
50°48.499'N 00°19.917'W	50°44.401'N 00°18.983'W	50°42.383'N 00°17.155'W
50°47.507'N 00°19.275'W	50°44.230'N 00°18.939'W	50°42.290'N 00°16.978'W
50°46.910'N 00°19.040'W	50°44.011'N 00°18.881'W	50°41.902'N 00°16.244'W
50°46.862'N 00°19.028'W	50°44.011'N 00°18.881'W	50°41.796'N 00°16.006'W
50°46.634'N 00°18.995'W	50°43.729'N 00°18.779'W	50°41.647'N 00°15.666'W
50°46.586'N 00°18.995'W	50°43.441'N 00°18.649'W	50°41.623'N 00°15.635'W
50°46.069'N 00°19.062'W	50°43.297'N 00°18.571'W	50°41.576'N 00°15.598'W
50°45.436'N 00°19.194'W	50°43.245'N 00°18.534'W	
50°45.331'N 00°19.218'W	50°43.179'N 00°18.477'W	
50°45.274'N 00°19.224'W	50°43.131'N 00°18.427'W	

For further information: Gordon Bain (Eon Marine Coordination) +44(0)7787241442 email [leadmc@rampionoffshore.com](mailto:leadmc@rampionoffshore.com)

## Deployment of Buoys

## North Coast of Cornwall – Wave Hub Subsea Cable Safety Notice

Mariners are reminded to exercise caution when navigating in the vicinity and are advised not to anchor or fish within the Wave Hub offshore site (as defined by the four special marks and charted as 'Renewable Energy Development Area') or in proximity to the main export cable.



Please be advised that the subsea cable system safety notification remains in force and the system is live at 11,000V. The majority of Wave Hub subsea cables are surface laid with varying levels of protection and alongside a dynamic seabed present a potential snag risk to anchors or fishing gear.

The following safety information and attachments should be carefully digested by any mariner operating in the vicinity of the Wave Hub offshore site or export cable route:

1. Overall, the 2017 cable survey shows that approximately 18% of the export cable remains exposed. Key characteristics are as follows (KP chart and RPL attached):
  - a. From the shore to KP1.9 the subsea power cable remains buried to the design depth of 1.5m from top of product
  - b. Due to varying sediment depths alongside shallow burial or a partial rock berm, From KP 1.9 to KP 8.1 the subsea power cable is in many areas exposed or carries a high risk of exposure
  - c. From KP 8.1 to the Wave Hub itself (KP 25) the subsea power cable is generally covered by a rock berm with 0.3m depth of cover. However, the 2017 survey has recorded a number of longstanding cable exposures and free-spans through this zone so the berm should not be considered as continuous protection.
2. Four cable tails extend across the charted offshore Renewable Energy Development Area to provide Developers with a proximate point of connection (KP chart and RPLs attached). These cables are stabilised against current and wave action through rock bags positioned at regular intervals but are otherwise exposed and unprotected to facilitate ease of handling. Many free-spans were removed in 2016 during construction by use of further rock bags but further free-spans due to the seabed mobility have been recorded during the 2017 cable survey.

Boundary Point	Position
SW	50°20.707'N 05°37.211'W
NW	50°22.812'N 05°37.734'W
NE	50°22.977'N 05°36.110'W
SE	50°20.873'N 05°35.587'W

Wave Hub AtoN Name	Details	Assigned Position	Current Status
Wave Hub NW N18100	North Cardinal – 3m Diameter Buoy Light: VQ	50°23.060'N 05°38.240'W	OK
Wave Hub SE N18107	VQ(6) +L Fl 10s Pillar YB Cardinal S	50°20.640'N 05°35.010'W	OK
Wave Hub Site – NW N18101	South Cardinal – 3m Diameter Buoy Fl Y 5s (sync) Pillar Y Cross Y X	50°22.791'N 05°37.943'W	OK
Wave Hub Site – NE N18102	Fl Y 5s (sync) Pillar Y Cross Y X	50°22.999'N 05°35.901'W	OK
Wave Hub Site – SE N18106	Fl Y 5s (sync) Pillar Y Cross Y X	50°20.894'N 05°35.378'W	OK
Wave Hub Site – SW N18105	Fl Y 5s (sync) Pillar Y Cross Y X	50°20.541'N 05°37.196'W	OK

Wave Buoy: 50°20.834'N 05°36.850'W

Subsea Infrastructure	Position
Wave Hub (Centre of 500m Safety Zone)	50°20.825'N 05°37.136'W
End of Cable Tail Bundle	50°20.904'N 05°37.095'W
Cable Tail 1 Dry Mate Connector	50°20.955'N 05°36.762'W
Cable Tail 2 Dry Mate Connector	50°21.318'N 05°37.202'W
Cable Tail 3 Dry Mate Connector	50°21.939'N 05°37.277'W
Cable Tail 4 Dry Mate Connector	50°22.418'N 05°37.356'W

For further information: Julius Besterman, Wave Hub Limited, [Tel:01736 800291](tel:01736800291) email: [Julius.besterman@wavehub.co.uk](mailto:Julius.besterman@wavehub.co.uk)

## Deep Green Tidal Energy – Installation

**Holyhead Deep is the starting point for developing Minesto's unique "Deep Green" marine technology at a commercial scale. It will be the first low-velocity tidal energy project in the world.**



The development of tidal energy production at Holyhead Deep is due to be done in phases. The first step will be the installation of one 0.5MW "Deep Green" demonstrator during 2018. Following deployment and testing, the ambition is to install further Deep Green devices to a commercial demonstration array of up to 10MW installed capacity. Further information about Minesto, the "Deep Green" technology and Holyhead Deep can be found on the Minesto website: <https://minesto.com/>.

### Installation complete

All sub surface components for the Deep Green project have been successfully installed on site, and an offshore support buoy has been installed. The location of these components is listed here:-

- MGS Offshore Support Buoy: 53° 17.7957' N 004° 47.7582'W
- Gravity Base Structure: 53° 17.8309'N 004° 47.9558'W

The only part of the installation that is visible from the surface is the MGS Offshore Support Buoy. This is a yellow structure, 7m high and 6m in diameter with a draft of 10m. It is held in position by 3 x 800m mooring lines which are close to the surface out to 20m of the buoy.

The location of the buoy and a photograph showing its appearance is shown in the Notice to Mariners which can be downloaded [here](#).

**Vessels are strongly advised not to approach the MGS Buoy. Access to the MGS Buoy is strictly prohibited.** CCTV is in operation to monitor the buoy.

### Safety zone

A safety zone of 500m on the sea surface is established on the MGS Offshore Support Buoy. All vessels are asked to give a wide berth to the MGS Buoy and any vessels working on site.

The MGS Buoy will display a fixed, all round, white light during the hours of darkness.

### Commissioning Programme

Minesto have commenced a commissioning programme of the Deep Green DG500 tidal energy converter. Although the majority of the trials will take place within the 500m safety zone, initial trials may take place in an area to the north of Holyhead breakwater.

### Vessels

The vessels that will be conducting the commissioning trials are listed below, along with a link to the vessel details on the MarineTraffic website:-

- *Voe Vanguard*: Tug | Call sign MBEN9
- *Lynas Shuttle*: Port Tender / Crew Transfer Vessel | Call sign GCHK

The *Voe Vanguard* will be restricted in its ability to manoeuvre during these operations, and will display appropriate day marks and lights.

**For further information:** Jim Andrews, Fishery Liaison Officer, Tel: +44(0)7908-225865

## Walney Extension Wind Farm – Construction

[Map Link](#)

Please note that the whole of this area remains a designated construction site and all mariners are requested and advised to mark the positions of the Buoys on their charts/plotters and unless there are matters relating to their own safety or the safety of others they should keep clear and not enter the buoyed area until the Wind Farm has been commissioned with the Buoys removed and you have been informed.



All mariners should also note that there remains a constant stream of traffic between the Wind Farm Site, Belfast, Barrow and Heysham.

Both Offshore Sub-Station, Z03 (section WOWO3) and Z04 (section WOWO4), are installed and commissioned.

### Section WOW03

All 40 Wind Turbine Generators in this section of the Wind Farm are installed and commissioned, monitoring and testing of the Turbines in this section is ongoing as weather and conditions permit.

### Section WOW04

All 47 Wind Turbine Generators in this section of the Wind Farm are installed and commissioned, monitoring and testing of the Turbines in this section is ongoing as weather and conditions permit.

A 500 meter minimum Safe Working Distance is requested around all of the construction vessel at all times while on site

There are now only two Guard Vessels engaged :

'KARIMA' is primary Wind Farm Site,

'FAIRLINE SURVEYOR' secondary Wind Farm site/Export Cable

*For further information: Tom Watson: Tel: 01253 875565, Mob: 07903 173 624*

**Notice to Fishermen**

First Published: 12 July 2018 | **Latest Update: 12 July 2018**

**Fishing Hazard – Plat-I Connel Removal Operations**

 [Map Link](#)

**Please be advised that the PLAT-I platform was successfully removed from site on June 7th. The mooring system was removed on June 8th.**



It is intended to leave 4 \* rock anchors in-situ in the event that we wish to conduct further testing at the site in the near term. Please be advised that a Marine License application has been submitted to Marine Scotland to enable the anchors to remain in place until October 2020 – in line with the Lease Option previously awarded to Sustainable Marine Energy Ltd by the Scottish Crown Estate.

In terms of a description of the anchors:

- They are of steel construction
- 1.4t each
- The 'head' of each of the anchors protrudes between 50cm – 70cm from the seabed.

Coordinates	
56°27.303'N	005°23.999'W
56°27.275'N	005°23.982'W
56°27.321'N	005°23.893'W
56°27.301'N	005°23.865'W

*For further information: John McGlynn, Sustainable Marine Energy Ltd, Tel: +44 0131 285 4620 email: [john.mcglynn@sustainablemarine.com](mailto:john.mcglynn@sustainablemarine.com)*

## Local Awareness Charts

Chart	Area	Location	Turbines	Developer	Completed	Link
Barrow	5	7km dudgeon Island	30	Orsted	1 Jul 2006	<a href="#">Download</a>
Blyth	2	1km N.E Coast	2	E.ON	-	<a href="#">Download</a>
Burbo Bank	5	5.2km Crosby	25	Orsted	27 Oct 2007	<a href="#">Download</a>
Dudgeon	3	38km Outer Wash	67	Statkraft / Statoil	-	<a href="#">Download</a>
Greater Gabbard	3	26km off Orford, Sufflk	140	SSE & RWE Npower / Innogy	7 Sept 2012	<a href="#">Download</a>
Gwynt y Mor	5	13km off N Wales Cst	160	RWE Innogy / SWM	18 Jun 2015	<a href="#">Download</a>
Gunfleet Sands 1, 2 & 3	3	8.5km off Clacton-On-S	50	Orsted	19 April 2010	<a href="#">Download</a>
Humber Gateway	3	8km off Holderness Cst	73	E.ON UK	5 Jun 2015	<a href="#">Download</a>
Hywind	2	25km off Peterhead	5	Statoil	-	<a href="#">Download</a>
Inner Dowsing	3	5km off Skegness	27	Siemens	30 Mar 2009	<a href="#">Download</a>
Kentish Flats	3	9km off Whitstable	30	Vattenfall	1 Oct 2015	<a href="#">Download</a>
Lincs	3	8km off Skegness	75	Centrica	10 Oct 2013	<a href="#">Download</a>
London Array	3	24km off Clacton-on-S	175	Orsted	1 May 2013	<a href="#">Download</a>
Lynn	3	5km off Skegness	27	Siemens	30 Mar 2009	<a href="#">Download</a>
North Hoyle	5	7.5km off Prestatyn	30	RWE Innogy UK	1 Dec 2003	<a href="#">Download</a>
Race Bank	3	27km Lincolnshire	91	Orsted	-	<a href="#">Download</a>
Ormonde	5	off Walney Island	30	Vattenfall	22 Feb 2012	<a href="#">Download</a>
Rampion	3	Off Sussex Coast	116	E.ON UK Renewables	-	<a href="#">Download</a>
Rhyl Flats	5	8km Abergele	25	RWE Innogy UK	2 Dec 2009	<a href="#">Download</a>
Robin Rigg	5	9.5km Maryport	60	E.ON UK Renewables	16 Apr 2010	<a href="#">Download</a>
Scroby Sands	3	3km NE Great Yarmth	30	E.ON UK Renewables	1 Mar 2004	<a href="#">Download</a>
Sheringham Shoal	3	Sheringham, Grtr Wash	88	Statkraft / Statoil	27 Sep 2007	<a href="#">Download</a>
Teesside	3	1.5km NE Teesmouth	27	EdF ER	1 Aug 2013	<a href="#">Download</a>
Thanet	3	11km Foreness Point	100	Vattenfall	23 Sept 2010	<a href="#">Download</a>
Walney 1	5	14km Walney Island	51	Orsted / SSE (+ prttrs)	9 Jan 2012	<a href="#">Download</a>
Walney 2	5	14km Walney Island	51	Orsted / SSE (+ prttrs)	9 Jan 2012	<a href="#">Download</a>
West of Duddon Sands	5	14km Walney Island	108	Scottish Power / Orsted	30 Oct 2014	<a href="#">Download</a>
Westermost Rough	3	25km north of Spurn P	35	Orsted	26 Mar 2015	<a href="#">Download</a>

## National Awareness Charts

Chart	Link
North Sea North & West	<a href="#">Download</a>
North Sea Central	<a href="#">Download</a>
North Sea South	<a href="#">Download</a>
English Channel	<a href="#">Download</a>
South Western Approaches	<a href="#">Download</a>
Irish Sea	<a href="#">Download</a>
Baltic North	<a href="#">Download</a>
Baltic South	<a href="#">Download</a>

## National Fishing Plotter Files

File	Link
Kingfisher Fishing Plotter Files – KIS-ORCA January 2018 (Subsea Cables and Wind Farms)	<a href="#">Download</a>